

Idadija Inzenering

Catalog with specifications

Products and services:

- **R**einforcing bar (Rebar)
- **G**alvanized steel bar
- **W**elded wire mesh
- **P**re-cut and bend bar
- **C**old drawn rebar
- **A**nnealed wire
- **E**lectrowelded static girders
- **C**old drawing rebar
- **R**ental of metal brackets
- **T**ransport

Reinforcing bar (Rebar)

Idadija Inzenering offers Reinforcing bars (Rebar) for construction usage with different sizes. Their type, diameter and other specifications are shown in the attached table. For more information please contact us at contact@idadija-inz.com.mk

Table 1: **Reinforcing bar (Rebar)**

Number	Type	Length (m)	Shape
1	F8	12	Ribbed
2	F10	12	Ribbed
3	F12	12	Ribbed
4	F14	12	Ribbed
5	F16	12	Ribbed
6	F18	12	Ribbed
7	F20	12	Ribbed
8	F22	12	Ribbed
9	F28	12	Ribbed
10	F5,5	by order	Smooth
11	F6	by order	Smooth
12	F6,5	by order	Smooth
13	F8	by order	Smooth
14	F10	by order	Smooth
15	F12	by order	Smooth

Galvanized steel rebar

Idadija Inzenering manufactures Galvanized steel rebar for construction usage with different sizes. Galvanized steel rebar is produced by order with specifications. For more information please contact us at **contact@idadija-inz.com.mk**

ИДАДИЈА ИНЖЕНЕРИНГ

Welded wire mesh

Idadija Inzenering manufactures Welded wire mesh for construction usage with different sizes.

Their type, diameter and other specifications are shown in the attached table.

For more information please contact us at contact@idadija-inz.com.mk

Table 1: **Dual suspension mesh (Q-Mesh)**

Number	Type of mesh	Distance between rods (mm)	Diameter of rods (mm)	Dimensions of mesh (cm)
1	Q 111	150/150	F 4,6/4,6	600 x 215
2	Q 126	100/100	F 4/4	600 x 215
3	Q 131	150/150	F 5/5	600 x 215
4	Q 139	100/100	F 4,2/4,2	600 x 215
5	Q 166	100/100	F 4,6/4,6	600 x 215
6	Q 188	150/150	F 6/6	600 x 215
7	Q 196	100/100	F 5/5	600 x 215
8	Q 221	150/150	F 6,5/6,5	600 x 215
9	Q 238	100/100	F 5,5/5,5	600 x 215
10	Q 257	150/150	F 7/7	600 x 215
11	Q 283	100/100	F 6/6	600 x 215
12	Q 331	100/100	F 6,5/6,5	600 x 215
13	Q 335	150/150	F 8/8	600 x 215
14	Q 378	150/150	F 8,5/8,5	600 x 215
15	Q 385	100/100	F 7/7	600 x 215

Number	Type of mesh	Distance between rods (mm)	Diameter of rods (mm)	Dimensions of mesh (cm)
16	Q 424	150/150	F 9/9	600 x 215
17	Q 503	100/100	F 8/8	600 x 215
18	Q 524	150/150	F 10/10	600 x 215
19	Q 568	100/100	F 8,5/8,5	600 x 215
20	Q 709	100/100	F 9,5/9,5	600 x 215
21	Q 785	100/100	F 10/10	600 x 215
22	Q 1	200/200	F 5/4,4	600 x 200
23	Q 2	200/200	F 6/5,4	600 x 200
24	Q 3	200/200	F 8/7,4	600 x 200
25	Q 4	200/200	F 7/6,4	600 x 200

Idadija Inzenering also manufactures Welded wire mesh with your specifications.

For more information please [contact](#) us.

Welded wire mesh

Idadija Inzenering manufactures Welded wire mesh for construction usage with different sizes.

Their type, diameter and other specifications are shown in the attached table.

For more information please contact us at contact@idadija-inz.com.mk

Table 2: Longitudinal suspension mesh (R-Mesh)

Number	Type of mesh	Distance between rods (mm)	Diameter of rods (mm)	Dimensions of mesh (cm)
1	R 126	100/250	F 4/4	600 x 215
2	R 131	150/250	F 5/4,2	600 x 215
3	R 139	100/250	F 4,2/4,2	600 x 215
4	R 166	100/250	F 4,6/4,2	600 x 215
5	R 188	150/250	F 6/4,2	600 x 215
6	R 196	100/250	F 5/4,2	600 x 215
7	R 221	150/250	F 6,5/4,2	600 x 215
8	R 238	100/250	F 5,5/4,2	600 x 215
9	R 257	150/250	F 7/5	600 x 215
10	R 283	100/250	F 6/4,2	600 x 215
11	R 331	100/250	F 6,5/4,6	600 x 215
12	R 335	150/250	F 8/5	600 x 215
13	R 378	150/250	F 8,5/5	600 x 215
14	R 385	100/250	F 7/5	600 x 215
15	R 424	150/250	F 9/6	600 x 215

Number	Type of mesh	Distance between rods (mm)	Diameter of rods (mm)	Dimensions of mesh (cm)
16	R 442	100/250	F 7,5/5,5	600 x 215
17	R 503	100/250	F 8/6	600 x 215
18	R 525	150/250	F 10/6	600 x 215
19	R 536	100/250	F 9/6	600 x 215
20	R 709	100/250	F 9,5/7	600 x 215
21	R 785	100/250	F 10/7,5	600 x 215

Idadija Inzenering also manufactures Welded wire mesh with your specifications.

For more information please [contact](#) us.

Pre-cut and bend rebar

Idadija Inzenering manufactures Pre-cut and bend rebar for construction usage with different sizes. Their type, diameter and other specifications are shown in the attached table. For more information please contact us at contact@idadija-inz.com.mk

Table 1: Pre-cut and bend rebar (Uzengii)

Number	Type	Lg	Piece/Kilogram
1	14/14	0.68	0.177
2	15/15	0.72	0.187
3	16/16	0.76	0.198
4	17/17	0.80	0.208
5	18/18	0.84	0.218
6	20/20	0.92	0.239
7	21/21	0.96	0.250
8	25/25	1.12	0.291
9	26/26	1.16	0.302
10	15/20	0.82	0.213
11	16/21	0.86	0.224
12	21/26	1.06	0.276
13	20/25	1.02	0.265

Idadija Inzenering also produces Pre-cut and bend rebar with your specifications. For more information please [contact](mailto:contact@idadija-inz.com.mk) us.

Cold drown rebar

Idadija Inzenering manufactures Cold drown rebar for construction usage with different sizes. Cold drownd rebar is produced by order with specifications. For more information please contact us at **contact@idadija-inz.com.mk**

ИДАДИЈА ИНЖЕНЕРИНГ

Annealed wire

Idadija Inzenering offers Annealed wire for construction usage.
Their type, diameter and other specifications are shown in the attached table.
For more information please contact us at contact@idadija-inz.com.mk

Табела 1: **Annealed wire**

Number	Diameter of the wire (mm)	Platen weight (kg)	Length (m)
1	1,2	by order	by order
2	2,8	by order	by order

Idadija Inzenering also offers Annealed wire with your specifications.
For more information please [contact](#) us.

Electrowelded static girders

Idadija Inzenering offers Electrowelded static girders for construction usage with different sizes. Their type, diameter and other specifications are shown in the attached table. For more information please contact us at contact@idadija-inz.com.mk

Table 1: **Electrowelded static girders**

Number	Length (m)
1	2
2	2,4
3	2,6
4	2,8
5	3
6	3,2
7	3,4
8	3,6
9	3,8
10	4
11	4,2
12	4,4
13	4,6
14	4,8
15	5
16	5,2
17	5,4
18	5,6
19	5,8
20	6

Cold drowning rebar

Idadija Inzenering offers machine cold drowning of rebar with modern machines for further use in construction with different sizes.

Cold drowning is produced by order with specifications.

For more information please contact us at **contact@idadija-inz.com.mk**

Идидија Инженеринг

Rental of metal brackets

Idadija Inzenering offers rental of metal brackets for construction usage. Their type, diameter and other specifications are shown in the attached table. For more information please contact us at **contact@idadija-inz.com.mk**

Table 1: **Metal brackets**

Number	Height (m)	Type
1	3,20	open
2	3,50	open
3	4,10	open

Transport

Idadija Inzenering offers Transport и Transport services for your needs.

The transport is done with the most modern vehicles for such purposes on request from the client

For more information please contact us at **contact@idadija-inz.com.mk**

ИДАДИЈА ИНЖЕНЕРИНГ